



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	8/9/2024

Enalytic ID	E2408009-001
Train #	TILX265551
TRC #	308032024T
TANK #	1&4
Sample ID	DEF 32.0%
Date Sampled	8/3/2024
Date Received	8/7/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.0% DEF Train # TILX265551 TANK # 1&4 TRC # 308032024T

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ^{2,4}	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	(31.6-33.4)	31.7	SPT	8/9/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3817	MDC	8/9/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.03	MDC	8/9/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.16	MDC	8/8/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	8/9/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	8/8/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/7/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/7/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/7/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/7/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/7/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/7/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/7/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	8/7/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/7/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	1.6	BDK	8/7/2024	Fail
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/7/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0884	MFB	8/9/2024	---


Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

Note 4: The ISO 22241-2 acceptable limit plus reproducibility for Urea Content is shown in parentheses and is within the set of values shown.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 
Laboratory Director: Anthony J Scala

Date: 8/9/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/11/2024

Enalytic ID	E2409014-001
TRC #	SOLUTIONIZE FROM T:11 308052024P
T #	5&4
Sample ID	DEF 32.7%
Date Sampled	9/5/2024
Date Received	9/9/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.7% DEF SOLUTIONIZE FROM T:11 T # 5&4 TRC # 308052024P

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.3	SPT	9/11/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3827	NAC	9/10/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.12	MDC	9/9/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.18	MFB	9/9/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	9/9/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	12	MFB	9/10/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/11/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/11/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/11/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/11/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/11/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/11/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/11/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	9/11/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/11/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	2.6	BDK	9/11/2024	Fail
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/11/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0893	MFB	9/10/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 9/11/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	8/21/2024

Enalytic ID	E2408023-001
TRAIN #	TILX200541
TRC #	308132024P
TANK #	5&2
Sample ID	DEF 32.4%
Date Sampled	8/13/2024
Date Received	8/16/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.4% DEF TRAIN # TILX200541 TANK # 5&2 TRC # 308132024P

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.3	SPT	8/21/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3827	NAC	8/19/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.06	MFB	8/16/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.20	MDC	8/19/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	8/20/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	3.1	MFB	8/20/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/19/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/19/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/19/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/19/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/19/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/19/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/19/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	8/19/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/19/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	1.7	BDK	8/19/2024	Fail
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/19/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0898	MDC	8/19/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 8/21/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	8/23/2024

Enalytic ID	E2408026-001
TRAIN #	GATX224038
TRC #	308192024L
TANK #	4&1
Sample ID	DEF 32.4%
Date Sampled	8/19/2024
Date Received	8/21/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.4% DEF TRAIN # GATX224038 TANK # 4&1 TRC # 308192024L

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.1	SPT	8/23/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3824	MDC	8/23/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.07	MFB	8/23/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.20	MDC	8/23/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	8/22/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	10	MFB	8/22/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/23/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/23/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/23/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.089	BDK	8/23/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/23/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/23/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/23/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	8/23/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/23/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	2.6	BDK	8/23/2024	Fail
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/23/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards


Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0893	MFB	8/21/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 8/23/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	8/27/2024

Enalytic ID	E2408033-001
	GATX224275
TRC #	308212024M
TANK #	3&2
Sample ID	DEF 32.5%
Date Sampled	8/21/2024
Date Received	8/23/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.5% DEF GATX224275 TANK # 3&2 TRC # 308212024M

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.4	SPT	8/27/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3829	MDC	8/23/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.07	MFB	8/23/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.20	MDC	8/23/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MDC	8/27/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	5.2	MFB	8/26/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/27/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.24	BDK	8/27/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/27/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/27/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/27/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/27/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/27/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	8/27/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	8/27/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	2.4	BDK	8/27/2024	Fail
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	8/27/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0904	MFB	8/27/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 8/27/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/5/2024

Enalytic ID	E2408045-001
TRC #	KLRX243035
T #	308282024T
Sample ID	5/4
Date Sampled	DEF 32.6%
Date Received	8/28/2024
ISO 17025	8/30/2024
	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.6% DEF KLRX243035 T # 5/4 TRC # 308282024T

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.4	SPT	9/4/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3829	NAC	9/3/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.02	MDC	9/3/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.23	NAC	9/3/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	NAC	9/4/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	4.2	MDC	9/4/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/3/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/3/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/3/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/3/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/3/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/3/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/3/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	9/3/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.24	BDK	9/3/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	2.5	BDK	9/3/2024	Fail
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/3/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0903	MDC	9/3/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 9/5/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	9/6/2024

Enalytic ID	E2409004-001
	KLRX243023
TRC #	308302024T
T #	1/3
Sample ID	DEF 32.4%
Date Sampled	8/30/2024
Date Received	9/4/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.4% DEF KLRX243023 T # 1/3 TRC # 308302024T

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.5	SPT	9/6/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3829	MDC	9/5/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.02	MFB	9/6/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.16	MDC	9/5/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	NAC	9/4/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	5.2	MDC	9/5/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/4/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/4/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/4/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/4/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/4/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	9/4/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/4/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	9/4/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.16	BDK	9/4/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	2.7	BDK	9/4/2024	Fail
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	9/4/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0888	MDC	9/5/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 9/6/2024