

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	11/18/2024

Enalytic ID	E2411021-001
TRAIN #	TILX265561
TRC #	311122024T
T #	1&3
Sample ID	DEF 32.3%
Date Sampled	11/12/2024
Date Received	11/14/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.3% DEF TRAIN # TILX265561 T # 1&3 TRC # 311122024T

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.3	SPT	11/18/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3826	SPT	11/18/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.02	NAC	11/18/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.16	NAC	11/14/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	11/18/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	11/15/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/14/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/14/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	11/14/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	11/14/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/14/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/14/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	11/14/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	11/14/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/14/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.41	BDK	11/14/2024	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	11/14/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards


Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	MDC	11/14/2024	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0908	SPT	11/18/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been in proper condition or as noted on the report.

Certification Approval 
Laboratory Director: Anthony J Scala

Date: 11/18/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	11/19/2024

Analytic ID	E2411024-001
TRAIN #	UTLX647895
TRC #	311132024M
T #	5&4
Sample ID	DEF 32.5%
Date Sampled	11/13/2024
Date Received	11/15/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.5% DEF TRAIN # UTLX647895 T # 5&4 TRC # 311132024M

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.0	SPT	11/19/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3822	SPT	11/18/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.08	NAC	11/18/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.17	NAC	11/19/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	11/18/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	11/15/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/15/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/15/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	11/15/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	11/15/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/15/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/15/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	11/15/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	11/15/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	11/15/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.47	BDK	11/15/2024	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	11/15/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	NAC	11/19/2024	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0899	SPT	11/18/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 11/19/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	12/2/2024

Enalytic ID	E2411038-001
TRAIN #	GBRX716305
TRC #	311192024M
T #	2&3
Sample ID	DEF 32.3%
Date Sampled	11/19/2024
Date Received	11/25/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.3% DEF TRAIN # GBRX716305 T # 2&3 TRC # 311192024M

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.1	SPT	12/2/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3823	NAC	11/26/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.11	MFB	11/27/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.17	NAC	11/26/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	11/26/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	<2.5	MFB	11/26/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/2/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/2/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/2/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/2/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/2/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/2/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/2/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	12/2/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/2/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.16	BDK	12/2/2024	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/2/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	Match	NAC	11/26/2024	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0888	MFB	11/26/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval _____

Laboratory Director: Anthony J Scala

Date: 12/2/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	12/3/2024

Enalytic ID	E2411048-001
TRAIN #	TIMX400162
TRC #	311252024T
T #	5/4
Sample ID	DEF 32.5%
Date Sampled	11/25/2024
Date Received	11/27/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.5% DEF TRAIN # TIMX400162 T # 5/4 TRC # 311252024T

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.2	SPT	12/3/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3824	MDC	12/3/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.02	NAC	12/3/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.16	NAC	12/2/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	12/2/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	7.7	MFB	12/2/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/3/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.18	BDK	12/3/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/3/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.12	BDK	12/3/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/3/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/3/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.12	BDK	12/3/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	12/3/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.46	BDK	12/3/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.45	BDK	12/3/2024	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/3/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0913	MFB	12/2/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for. To Follow.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 12/3/2024



Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	12/5/2024

Enalytic ID	E2412003-001
TRAIN #	GBRX717142
TRC #	311262024T
T #	1&3
Sample ID	DEF 32.6%
Date Sampled	11/26/2024
Date Received	12/2/2024
ISO 17025	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.6% DEF TRAIN # GBRX717142 T # 1&3 TRC # 311262024T

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.0	SPT	12/4/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3821	MDC	12/4/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.02	NAC	12/3/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.18	NAC	12/2/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	12/4/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	7.8	MFB	12/2/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/3/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.18	BDK	12/3/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/3/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	0.074	BDK	12/3/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/3/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/3/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/3/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	12/3/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	0.28	BDK	12/3/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/3/2024	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/3/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0894	MFB	12/3/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for. FTIR Scan Report to Follow.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been received in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 12/5/2024

Client:	DEF Products, LLC
Contact	Sharon Stegmuller
Address	422 East Barioni Blvd Imperial, CA 02251
Email	defproducts@gmail.com
Phone	760 355 7997
Report Date	12/10/2024

Enalytic ID	E2412010-001
TRC #	GATX235318
T #	311292024T
Sample ID	2/5/17
Date Sampled	DEF 32.3%
Date Received	11/29/2024
ISO 17025	12/5/2024
	Certificate Number: L24-103

Certificate of Analysis

Diesel Exhaust Fluid Analytical ISO-22241

Client ID: 32.3% DEF GATX235318 T # 2/5/17 TRC # 311292024T

Test Parameter/Method	Units	Test Method (ISO) ¹	Acceptable Limit ²	Results	Chemist	Analysis Date	Pass/Fail
Urea Content	wt%	22241-2 Annex C	31.8-33.2	32.2	SPT	12/10/2024	Pass
Refractive Index @ 20degC	N _D ²⁰	22241-2 Annex C	1.3814-1.3843	1.3825	NAC	12/9/2024	Pass
Alkalinity as NH ₃	%	22241-2 Annex D	<0.2	0.02	MFB	12/5/2024	Pass
Biuret	%	22241-2 Annex E	<0.3	0.16	NAC	12/9/2024	Pass
Aldehyde	mg/kg	22241-2 Annex F	<5.0	<1.0	MFB	12/6/2024	Pass
Insolubles	mg/kg	22241-2 Annex G	<20	9.5	MFB	12/9/2024	Pass
Aluminum by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/5/2024	Pass
Calcium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/5/2024	Pass
Chromium by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/5/2024	Pass
Copper by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/5/2024	Pass
Iron by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/5/2024	Pass
Magnesium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/5/2024	Pass
Nickel by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/5/2024	Pass
Phosphate by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.46	BDK	12/5/2024	Pass
Potassium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/5/2024	Pass
Sodium by ICP-OES	mg/kg	22241-2 Annex I	<0.5	<0.15	BDK	12/5/2024	Pass
Zinc by ICP-OES	mg/kg	22241-2 Annex I	<0.2	<0.06	BDK	12/5/2024	Pass

Miscellaneous Secondary Unregulated Quality Standards

Identify by FTIR (attached) ³	Spectra	22241-2 Annex J	Control Match	---	---	---	---
Density @ 20degC	g/cm ³	3675	Not Applicable	1.0889	MFB	12/10/2024	---

Note 1: All ISO standards are up to date with the latest revisions.

Note 2: The acceptable values are based on the standard 32.5% unless otherwise stated, and are less than or equal to the values shown.

Note 3: ISO 17025 accreditation not applied for. FTIR Scan Report to Follow.

All procedures were conducted in accordance with Enalytic's Quality Control manual in its most current form and/or related procedures. The information contained in the analytical report represents only the materials tested and may not be reproduced except in full and without the written approval of the Technical Director of Enalytic Labs. Enalytic maintains a quality system in compliance with ISO17025:2017 with accreditations through Perry Johnson certificate #L24-103. All testing will be conducted in good faith by trained personnel equipped with the proper equipment and methodologies. Our liability will be limited to the cost of the services, including third-party charges. All test samples will be retained for a minimum of 3 months and/or extension by request. Fraudulent, false or statements of fiction are punishable by Federal Law. All samples received and reported above have been in proper condition or as noted on the report.

Certification Approval 

Laboratory Director: Anthony J Scala

Date: 12/10/2024